



Figure 1-1

Figure 1-2

Nothing more than your safety



MARKING ON SAFETY HELMET

Fits size :55-62cm, 6 $\frac{7}{8}$ "-7 $\frac{3}{4}$ "

Electrical insulation 440V A.C.

USER'S INFORMATION FOR SAFETY HELMET

USE:

- This safety helmet is designed to protect the head from falling objects in factory or building site.
- Attachment slot is for the use with ear muffs or face shield.
- With adjustable headband.
- Easy to use.
- Light weight.

ADJUSTMENT:

- Install the suspension to the helmet by inserting the four or six suspension hanger keys to the four six key slots of the helmet. (Figure 1-1,1-2) (The brow pad is located at the front of the helmet).
- Adjust the sizing post of the headband according to the size of your head (Figure2) until you feel comfortable and snug.
- If chin strap is necessary:
 - The chin strap is installed to the helmet by inserting the hooks to the two chin strap attachment holes located on two sides of the helmet. (Figure3).
 - Adjust the buckle until the helmet feels comfortable and snug on the head. Do not over tighten.

REQUIREMENT:

This safety helmet complies with the requirements of EN 397:1995, industrial safety helmets, and the European Directive 89/686/EEC.

CLEANING AND MAINTENANCE:

- Do not use any abrasive materials or solvents.
- Clean any part of the safety helmet with warm soapy water and dry with a soft cloth. A mild disinfectant can also be used, if required use in line with the manufacturer's instructions.

STORAGE:

- When not in use, it is recommended to store safety helmet in a clean and dry polybag or case for optimum protection.

SUITABLE ACCESSORIES AND SPARE PARTS

- Only use original accessories and spare parts made by manufacturer.

DURATION OF USE

- Inspect for damage regularly. If the shell or harness show any signs of damage it must be replaced immediately.

The shelf life of this product, if stored and used correctly, is infinite.

However, we would recommend it be changed every 2-3 years as necessary.

SUITABLE PACKAGING TYPE FOR TRANSPORTATION

During any transportation helmets should be protected from any form of contamination or damage by the use of suitable packaging Transport in a manner that will prevent physical or chemical damage.

Certification:

CE Certificate issued by Notified Body No.0086
BSI Product Certification Maylands Avenue